

Molecular Immunology

**LIST OF CONTENTS, SUBJECT
AND AUTHOR INDEX
FOR VOLUME 33, 1996**



PERGAMON

Molecular Immunology

Board of Regional Editors

- Dr HIDDE PLOEGH (Chairman of the Board), *Massachusetts Institute of Technology, Center for Cancer Research, 40 Ames Street, E17-322, Cambridge, MA 02139, U.S.A.*
Dr JANNIE BORST, *Division of Cellular Biochemistry, The Netherlands Cancer Institute, Plesmanlaan 121, 1066 CX Amsterdam, The Netherlands*
Dr J. DONALD CAPRA, *The University of Texas, Southwestern Medical School, Molecular Immunology Center, Department of Microbiology, 6000 Harry Hines Blvd, Dallas, TX 75235-9140, U.S.A.*
Dr MICHAEL CARROLL, *Department of Pathology, Harvard Medical School, 200 Longwood Avenue, Boston, MA 02115, U.S.A.*
Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria 3050, Australia*
Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse 487, CH-4005, Basel, Switzerland*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

B. H. BARBER <i>Toronto, Canada</i>	Z. FISHELSON <i>Tel Aviv, Israel</i>	JIRI NOVOTNY <i>Princeton, NJ, U.S.A.</i>
DAVID H. BING <i>Boston, MA, U.S.A.</i>	ARNOLD FROESE <i>Winnipeg, Canada</i>	EDUARDO A. PADLAN <i>Bethesda, MD, U.S.A.</i>
C. A. BONA <i>New York, NY, U.S.A.</i>	C. GRANIER <i>Montpellier, France</i>	KEN PARKER <i>Bethesda, MD, U.S.A.</i>
GUY BORDENAVE <i>Paris, France</i>	DAVID ISENMAN <i>Toronto, Canada</i>	JEAN-LOUIS PREUD'HOMME <i>Poitiers, France</i>
JOHN E. COLIGAN <i>Rockville, MD, U.S.A.</i>	M. KAARTINEN <i>Helsinki, Finland</i>	D. J. ROWLANDS <i>Leeds, U.K.</i>
MAURICE COLOMB <i>Grenoble, France</i>	D. M. KRANZ <i>Urbana, IL, U.S.A.</i>	VERNE N. SCHUMAKER <i>Los Angeles, CA, U.S.A.</i>
GIAMPIETRO CORRADIN <i>Lausanne, Switzerland</i>	M. P. LEFRANC <i>Montpellier, France</i>	DAVID M. SEGAL <i>Bethesda, MD, U.S.A.</i>
M. DAERON <i>Paris, France</i>	WARREN J. LEONARD <i>Bethesda, MD, U.S.A.</i>	JOHN TROWSDALE <i>London, U.K.</i>
M. P. DIERICH <i>Innsbruck, Austria</i>	HENNING LOWENSTEIN <i>Horsholm, Denmark</i>	EDWARD W. VOSS, JR <i>Urbana, IL, U.S.A.</i>
DOUGLAS FEARON <i>Cambridge, U.K.</i>	SHERIE L. MORRISON <i>Los Angeles, CA, U.S.A.</i>	JUNJI YODOI <i>Kyoto, Japan</i>
		D. C. YUAN <i>Dallas, TX, U.S.A.</i>

Production Editors

CAROLINE COWAN and EMMA HOLLINGSWORTH, *Elsevier Science Ltd, Oxford OX5 1GB, U.K. Tel. 01865 843279.*

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Institutional Subscription Rates 1997: Europe, the CIS and Japan 2831 Dutch Guilders. All other countries US\$1748. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:

The Americas: Elsevier Science Customer Support Department, P.O. Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Japan: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: kyf04035@niftyserve.or.jp].

Asia Pacific (excluding Japan): Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192 [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg].

Rest of the World: Elsevier Science Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Published monthly plus additional issues in February, April, June, August, October and December.

Copyright © 1997 Elsevier Science Ltd. All rights reserved.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Periodicals postage paid at Rahway, NJ and additional entry points. *Molecular Immunology* (ISSN 0161-5890) is published monthly plus additional issues in February, April, June, August, October and December, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is \$1748. *Molecular Immunology* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Molecular Immunology*, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].



ContentsDirect delivers the table of contents of this journal, by e-mail, approximately two to four weeks prior to each issue's publication. To subscribe to this free service complete and return the form at the back of this issue or send an e-mail message to cds@elsevier.co.uk

CONTENTS OF VOLUME 33

NUMBER 1

- | | | |
|---|-----|---|
| D. S. Vinay, M. Raje and
G. C. Mishra | 1 | Characterization of a novel co-stimulatory molecule: A 155–160 kD B cell surface protein provides accessory help to CD4 ⁺ T cells to proliferate and differentiate |
| M.-M. Cals, S. Guenzi, S. Carelli,
T. Simmen, A. Sparvoli and R. Sitia | 15 | IgM polymerization inhibits the Golgi-mediated processing of the μ -chain carboxy-terminal glycans |
| C. Hitzel and N. Koch | 25 | The invariant chain derived fragment CLIP is an efficient <i>in vitro</i> inhibitor of peptide binding to MHC class II molecules |
| E. R. Fedyk, J. M. Ripper,
D. M. Brown and R. P. Phipps | 33 | A molecular analysis of PGE receptor (EP) expression on normal and transformed B lymphocytes: Co-expression of EP ₁ , EP ₂ , EP ₃ and EP ₄ |
| M. Ohlin, H. Owman, M. Mach
and C. A. K. Borrebaeck | 47 | Light chain shuffling of a high affinity antibody results in a drift in epitope recognition |
| C.-G. Chen, J. Malliaros,
M. Katerelos, A. J. F. D'Apice and
M. J. Pearse | 57 | Inhibition of NF- κ B activation by a dominant-negative mutant of I κ B α |
| J. A. Nunès, M. Battifora,
J. R. Woodgett, A. Truneh, D. Olive
and D. A. Cantrell | 63 | CD28 signal transduction pathways. A comparison of B7-1 and B7-2 regulation of the MAP kinases: ERK2 and Jun kinases |
| S. Kerdine, H. Lebrech, J. Bertoglio
and M. Pallardy | 71 | Interleukin-4 plays a dominant role in Th1- or Th2-like responses during the primary immune response to the hapten penicillin |
| E. W. Voss Jr. | 79 | Perturbation of antibody bound bifluorescent-ligand probe by polyclonal anti-metatype antibodies interacting with epitopes proximal to the liganded antibody active site |
| M. Monestier and K. E. Novick | 89 | Specificities and genetic characteristics of nucleosome-reactive antibodies from autoimmune mice |
| J. O. Minta, M. J. Wong, C. A. Kozak,
L. M. Kunnath-Muglia and
G. Goldberger | 101 | cDNA cloning, sequencing and chromosomal assignment of the gene for mouse complement factor I (C3b/C4b inactivator): Identification of a species specific divergent segment in factor I |
| | 113 | <i>Announcement</i> |
| | i | <i>Forthcoming papers</i> |

NUMBER 2

- | | | |
|--|-----|--|
| J. D. Noti, B. C. Reinemann and
M. N. Petrus | 115 | Regulation of the leukocyte integrin gene CD11c is mediated by AP1 and Ets transcription factors |
| C. A. Sottriffer, K. R. Liedl,
R. H. Winger, A. M. Gamper,
R. T. Kroemer, D. S. Linthicum,
B.-M. Rode and J. M. Varga | 129 | Heterologation of a mouse monoclonal IgE antibody (La2) with small molecules, analysed by computer-aided automated docking |

- | | | |
|--|------------|---|
| A. J. Deavin, T. R. Auton and P. J. Greaney | 145 | Statistical comparison of established T-cell epitope predictors against a large database of human and murine antigens |
| C. J. Lyon, G. A. Miranda, J. S. Piao and R. J. Aguilera | 157 | Characterization of an endonuclease activity which preferentially cleaves the G-rich immunoglobulin switch repeat sequences |
| G. J. Cotton, S. E. M. Howie, I. Heslop, J. A. Ross, D. J. Harrison and R. Ramage | 171 | Design and synthesis of a highly immunogenic, discontinuous epitope of HIV-1 gp120 which binds to CD4+ve transfected cells |
| J. G. Major Jr, F. M. Davis, R. S. Liou and T.-W. Chang | 179 | Structural features of the extracellular portion of membrane-anchoring peptides on membrane-bound immunoglobulins |
| I. Kacs Kovics and J. E. Butler | 189 | The heterogeneity of bovine IgG2—VIII. The complete cDNA sequence of bovine IgG2a (A2) and an IgG1 |
| Y.-J. Jang, J.-M. Lecerf and B. D. Stollar | 197 | Heavy chain dominance in the binding of DNA by a lupus mouse monoclonal autoantibody |
| C. R. Jost, J. A. Titus, I. Kurucz and D. M. Segal | 211 | A single-chain bispecific Fv ₂ molecule produced in mammalian cells redirects lysis by activated CTL |
| J.-S. Lim, S. Kim, H. G. Lee, K.-Y. Lee, T.-J. Kwon and K. Kim | 221 | Selection of peptides that bind to the HLA-A2.1 molecule by molecular modelling |

i Forthcoming Papers

NUMBER 3

- | | | |
|--|------------|---|
| R. M. Fairhurst, Y. Valles-Ayoub, M. Neshat and J. Braun | 231 | A DNA repair abnormality specific for rearranged immunoglobulin variable genes in germinal center B cells |
| J. Lustgarten, T. Waks and Z. Eshhar | 245 | Prolonged inhibition of IgE production in mice following treatment with an IgE-specific immunotoxin |
| T. C. Brodnicki, P. O. Holman and D. M. Kranz | 253 | Reactivity and epitope mapping of single-chain T cell receptors with monoclonal antibodies |
| F. Kishi, Y. Tanizawa and M. Nobumoto | 265 | Structural analysis of human natural resistance-associated macrophage protein 1 promoter |
| G. Carra, M. Giunta, C. Benati, C. Bovolenta, G. Tridente, M. Libonati and F. Gerosa | 269 | Selective association of a 22–38 kDa glycoprotein with MHC class II DP antigen on activated human lymphocytes at the plasma membrane |
| M. Dueñas, A.-C. Malmberg, R. Casalvilla, M. Ohlin and C. A. K. Borrebaeck | 279 | Selection of phage displayed antibodies based on kinetic constants |
| K. Kawauchi, A. H. Lazarus, J. S. Sanghera, G. L. Pui Man, S. L. Pelech and T. L. Delovitch | 287 | Regulation of BCR- and PKC/Ca ²⁺ -mediated activation of the RAF1/MEK/MAPK pathway by protein-tyrosine kinase and -tyrosine phosphatase activities |
| R. O. Ebanks and D. E. Isenman | 297 | Mouse complement component C4 is devoid of classical pathway C5 convertase subunit activity |

- A. Fujikawa, N. Ishimaru, A. Seto, H. Yamada, T. Aki, S. Shigeta, T. Wada, T. Jyo, Y. Murooka, S. Oka and K. Ono 311 Cloning and characterization of a new allergen, Mag 3, from the house dust mite, *Dermatophagoides farinae*: Cross-reactivity with high-molecular-weight allergen
- A. Truneh, M. Reddy, P. Ryan, S. D. Lyn, C. Eichman, D. Couez, M. R. Hurle, R. P. Sekaly, D. Olive and R. Sweet 321 Differential recognition by CD28 of its cognate counter receptors CD80 (B7.1) and B70 (B7.2): Analysis by site directed mutagenesis

i *Forthcoming papers*

NUMBER 4/5

- E. M. Peterson, X. Cheng, Z. Qu and L. M. De La Maza 335 The effect of orientation within a chimeric peptide on the immunogenicity of *Chlamydia trachomatis* epitopes
- W. S. Goebel, R. H. Schloemer and Z. Brahmi 341 Target cell-induced perforin mRNA turnover in NK3.3 cells is mediated by multiple elements within the mRNA coding region
- S. Cseh, P. Gál, M. Sárvári, J. Dobó, Z. Lőrincz, V. N. Schumaker and P. Závodszky 351 Functional effects of domain deletions in a multi-domain serine protease, C1r
- W. J. Alms, S. P. Atamas, V. V. Yurovsky and B. White 361 Generation of a variant of human interleukin-4 by alternative splicing
- S. Wu and J. Gorski 371 The MHC class II-associated invariant chain-derived peptide CLIP binds to the peptide-binding groove of class II molecules
- T. Q. Nguyen, J. D. Capra and R. D. Sontheimer 379 Calreticulin is transcriptionally upregulated by heat shock, calcium and heavy metals
- S. Demotz and A. Péléraux 387 Processing of DR1-restricted determinants from the fusion protein of measles virus following two distinct pathways
- A. M. Smith and M. D. Chapman 399 Reduction in IgE binding to allergen variants generated by site-directed mutagenesis: Contribution of disulfide bonds to the antigenic structure of the major house dust mite allergen Der p 2
- G. Bannish, C. Hume and J. S. Lee 407 Coordinate regulation of HLA class II genes: A novel DNA binding complex
- S. Laffer, M. Duchene, I. Reimitzer, M. Susani, C. Mannhalter, D. Kraft and R. Valenta 417 Common IgE-epitopes of recombinant *Phl p 1*, the major timothy grass pollen allergen and natural group I grass pollen isoallergens
- M. A. Glozak and B. B. Blomberg 427 The human λ immunoglobulin enhancer is controlled by both positive elements and developmentally regulated negative elements
- G. R. Pilkington, L. Duan, M. Zhu, W. Keil and R. J. Pomerantz 439 Recombinant human Fab antibody fragments to HIV-1 Rev and Tat regulatory proteins: Direct selection from a combinatorial phage display library

- M. Suzuki, N. Komiyama, M. Itoh, H. Itoh, T. Sone, K. Kino, I. Takagi and N. Ohta** 451 Purification, characterization and molecular cloning of Cha o 1, a major allergen of *Chamaecyparis obtusa* (Japanese cypress) pollen
- K. Kaushansky, C. O'Rork, S. G. Shoemaker and J. McCarty** 461 The regulation of GM-CSF is dependent on a complex interplay of multiple nuclear proteins
- J. K. Kalsi, A. C. R. Martin, Y. Hirabayashi, M. Ehrenstein, C. M. Longhurst, C. Ravirajan, M. Zvelebil, D. Stollar, J. M. Thornton and D. A. Isenberg** 471 Functional and modelling studies of the binding of human monoclonal anti-DNA antibodies to DNA

i *Forthcoming papers*

NUMBER 6

- C. D. Partidos, P. Vohra, C. Anagnostopoulou, D. H. Jones, G. H. Farrar and M. W. Steward** 485 Biodegradable microparticles as a delivery system for measles virus cytotoxic T cell epitopes
- S. Popov, J. G. Hubbard and E. S. Ward** 493 A novel and efficient route for the isolation of antibodies that recognise T cell receptor V α s
- W. A. Hutchins, A. R. Adkins, T. Kieber-Emmons and M. A. J. Westerink** 503 Molecular characterization of a monoclonal antibody produced in response to a group C meningococcal polysaccharide peptide mimic
- A. Seeger, W. E. Mayer and J. Klein** 511 A complement factor B-like cDNA clone from the zebrafish (*Brachydanio rerio*)
- S. Popov, J. G. Hubbard, J.-K. Kim, B. Ober, V. Ghetie and E. S. Ward** 521 The stoichiometry and affinity of the interaction of murine Fc fragments with the MHC class I-related receptor, FcRn
- P. L. Orchansky, D. H. W. Ng, P. Johnson and H.-S. Teh** 531 Increase in the specific activity of p50^{csk} in proliferating T cells correlates with decreased specific activity of p56^{lck} and p59^{lyn} and reduced phosphorylation of CD3 subunits
- M. D. Goldstein, M. A. DeBenedette, D. Hollenbaugh and T. H. Watts** 541 Induction of costimulatory molecules B7-1 and B7-2 in murine B cells: the CBA/N mouse reveals a role for Bruton's tyrosine kinase in CD40-mediated B7 induction
- S.-C. Huang, R. Jiang, A. M. Glas and E. C. B. Milner** 553 Non-stochastic utilization of Ig V region genes in unselected human peripheral B cells
- A. Rostagno, M. Williams, B. Frangione and L. I. Gold** 561 Biochemical analysis of the interaction of fibronectin with IgG and localization of the respective binding sites
- F. Hlavac, F. Connan, J. Hoebeke, J.-G. Guillet and J. Choppin** 573 Direct detection of peptide-dependent HLA variability by surface plasmon resonance

i *Forthcoming papers*

NUMBER 7/8

- | | | |
|--|-----|---|
| M. Ohlin and C. A. K. Borrebaeck | 583 | Viewpoint
Characteristics of human antibody repertoires following active immune responses <i>in vivo</i> |
| L. Li, M. Sun, Q.-S. Gao and S. Paul | 593 | Low level formation of potent catalytic IgG fragments mediated by disulfide bond instability |
| T. P. Hopp, B. Gallis and K. S. Prickett | 601 | Metal-binding properties of a calcium-dependent monoclonal antibody |
| B. S. Wang, A. A. Lumanglas, H.-M. Shieh, M. J. Corbett, R.-J. Zhang and L. A. Kraft | 609 | Immunological effect of a synthetic growth hormone peptide on the growth performance in swine |
| U. Winkler, N. J. Allison, S. L. Woodard, R. A. Gault, G. R. Ewoldt, C.-M. Kam, A. Abuelyaman, J. C. Powers and D. Hudig | 615 | Characterization, application and potential uses of biotin-tagged inhibitors for lymphocyte serine proteases (granzymes) |
| B. J. Rider, E. Fraga, Q. Yu and B. Singh | 625 | Immune responses to self peptides naturally presented by murine class II Major Histocompatibility Complex molecules |
| Y. G. Meng, N. Singh and W. L. Wong | 635 | Binding of cynomolgus monkey IgE to a humanized anti-human IgE antibody and human high affinity IgE receptor |
| H. Thomas, F. Maillet, D. Letourneur, J. Jozefonvicz, E. Fischer and M. D. Kazatchkine | 643 | Sulfonated dextran inhibits complement activation and complement-dependent cytotoxicity in an <i>in vitro</i> model of hyperacute xenograft rejection |
| P. Garrone, O. Djossou, F. Fossiez, J. Reyes, S. Ait-Yahia, C. Maat, S. Ho, T. Hauser, J.-M. Dayer, J. Greffe, P. Miossec, S. Lebecque, F. Rousset and J. Banchereau | 649 | Generation and characterization of a human monoclonal autoantibody that acts as a high affinity interleukin-1 α specific inhibitor |
| E. C. Nice, T. L. McInerney and D. C. Jackson | 659 | Analysis of the interaction between a synthetic peptide of influenza virus hemagglutinin and monoclonal antibodies using an optical biosensor |
| C. L. Aparicio, F. Berthiaume, C. C. Chang and M. L. Yarmush | 671 | Tumor necrosis factor- α (TNF- α) induces a reversible, time- and dose-dependent adhesion of progenitor T cells to endothelial cells |
| B. Z. Dolimbek and M. Z. Atassi | 681 | Protection against α -bungarotoxin poisoning by immunization with synthetic toxin peptides |
| C. Milcarek, M. Suda-Hartman, and S. C. Croll | 691 | Changes in abundance of IgG 2a mRNA in the nucleus and cytoplasm of a murine B-lymphoma before and after fusion to a myeloma cell |
| Z. Chen, I. Berkower, W.-M. Ching, R. Y.-H. Wang, H. J. Alter and J. W.-K. Shih | 703 | Identification of a murine CD4 ⁺ T-lymphocyte response site in hepatitis C virus core protein |

- A. M. Cedergren, S. D. Miklasz and E. W. Voss Jr** 711 Antibody networks and imaging: Elicitation of anti-fluorescein antibodies in response to the metatypic state of fluorescein-specific monoclonal antibodies
- A. F. Esser, R. W. Tarnuzzer, S. Tomlinson, L. D. Tatar and K. K. Stanley** 725 Horse complement protein C9: Primary structure and cytotoxic activity

735 *Erratum*i *Forthcoming Papers*

NUMBER 9

- S. J. Seligman, J. M. Binley, M. K. Gorny, D. R. Burton, S. Zolla-Pazner and K. A. Sokolowski** 737 Characterization by serial deletion competition ELISAs of HIV-1 V3 loop epitopes recognized by monoclonal antibodies
- K. A. Louie, J. Ochoa-Garay, Pei-Jia Chen, D. McKinney, S. Groshen and M. McMillan** 747 H-2L^d-alloreactive T cell hybridomas utilize diverse V α and V β T cell receptor chains
- K. D. White, M. B. Frank, S. Foundling and F. J. Waxman** 759 Effect of immunoglobulin variable region structure on C3b and C4b deposition
- A. C. Lankester and R. A. W. van Lier** 769 Compartmentalization of B-cell antigen receptor functions
- C. F. Lange and M. J. Esmao** 777 Epitope mapping of homologous and cross-reactive antigens by monoclonal antibodies to streptococcal cell membrane (mAb to SCM)
- M. Ono, P. W. Tucker and J. D. Capra** 787 Ku is a general inhibitor of DNA-protein complex formation and transcription
- C. Guérin-Marchand, H. Sénéchal, A.-P. Bouin, V. Leduc-Brodard, G. Taudou, A. Weyer, G. Peltre and B. David** 797 Cloning, sequencing and immunological characterization of Dac g 3, a major allergen from *Dactylis glomerata* pollen
- C. Hollmann, F. Haag, M. Schlott, A. Damaske, H. Bertuleit, M. Matthes, M. Kühl, H.-G. Thiele and F. Koch-Nolte** 807 Molecular characterization of mouse T-cell ecto-ADP-ribosyltransferase Rt6: cloning of a second functional gene and identification of the Rt6 gene products
- B. A. Schodin, C. J. Schlueter and D. M. Kranz** 819 Binding properties and solubility of single-chain T cell receptors expressed in *E. coli*

831 Immunology Web Sites

833 *Forthcoming papers*

NUMBER 10

- P. L. Orchansky, L. Matsuuchi, P.-O. Ericsson and Hung-Sia Teh** 835 Differential regulation of p72^{syk} expression in naive and proliferating CD4-CD8⁺ T cells

J. S. J. Gerritsma, A. F. Gerritsen, C. Van Kooten, L. A. Van Es and M. R. Daha	847	Interleukin-1 α enhances the biosynthesis of complement C3 and factor B by human kidney proximal tubular epithelial cells <i>in vitro</i>
K. Nakamura, T. Hori and J. Yodoi	855	Alternative binding of p56 ^{lck} and phosphatidylinositol 3-kinase in T cells by sulfhydryl oxidation: implication of aberrant signaling due to oxidative stress in T lymphocytes
M. G. Tomlinson and M. D. Wright	867	Characterisation of mouse CD37: cDNA and genomic cloning
Kyu-Earn Kim, A. Rosenberg, S. Roberts and M. N. Blumenthal	873	The affinity of allergen specific IgE and the competition between IgE and IgG for the allergen in <i>Amb a V</i> sensitive individuals
B. A. Witthuhn and C. Faust	881	Isolation and characterization of the rat β -subunit gene of the high affinity receptor for immunoglobulin E
R. Makida, M. F. Hofer, K. Takase, J. C. Cambier and D. Y. M. Leung	891	Bacterial superantigens induce V β -specific T cell receptor internalization
	901	<i>Forthcoming papers</i>
NUMBER 11/12		
Z. Szewczuk, I. Z. Siemion and Z. Wiczorek	903	Immunological properties of the thymopentin-like fragments of HLA-DQ
C. Demangel, P. Lafaye and J. C. Mazie	909	Reproducing the immune response against the <i>Plasmodium vivax</i> merozoite surface protein 1 with mimotopes selected from a phage-displayed peptide library
K. Waśniowska, D. Blanchard, D. Janvier, Zi-Xuan Wang, S. C. Peiper, T. J. Hadley and E. Lisowska	917	Identification of the Fy6 epitope recognized by two monoclonal antibodies in the N-terminal extracellular portion of the Duffy antigen receptor for chemokines
T. Uemura, T. Yano, H. Shiraishi and M. Nakao	925	Purification and characterization of the eighth and ninth components of carp complement
M. Nakao, T. Uemura and T. Yano	933	Terminal components of carp complement constituting a membrane attack complex
C. K. Holtzapple, R. J. Carlin, B. G. Rose, L. F. Kubena and L. H. Stanker	939	Characterization of monoclonal antibodies to aflatoxin M1 and molecular modeling studies of related aflatoxins
A. N. Goldfarb, J. P. Flores and K. Lewandowska	947	Involvement of the E2A basic helix-loop-helix protein in immunoglobulin heavy chain class switching
Tong-Gang Wang, L. Lybarger, R. Soloff, D. Dempsey and R. Chervenak	957	Pre-thymic transcription of TCR genes by adult murine bone marrow cells
M. D. Jumper, K. Fujita, P. E. Lipsky and K. Meek	965	A CD30 responsive element in the germline ϵ promoter that is distinct from and inhibitory to the CD40 response element

T. M. LaVallee and S. L. Morrison	973	Identification and functional characterization of a highly conserved sequence in the intron of the kappa light chain gene
B.-E. Drysdale, D. L. Howard and R. J. Johnson	989	Identification of a lipopolysaccharide inducible transcription factor in murine macrophages
S. Bailly, N. Israël, M. Fay, M.-A. Gougerot-Pocidalo and G. W. Duff	999	An intronic polymorphic repeat sequence modulates interleukin-1 alpha gene regulation
E. T. Harvill and S. L. Morrison	1007	An IgG3-IL-2 fusion protein has higher affinity than hrIL-2 for the IL-2R alpha subunit: real time measurement of ligand binding
	1015	<i>Forthcoming papers</i>

NUMBER 13

M. Astori and J.-P. Kraehenbuhl	1017	Recombinant fusion peptides containing single or multiple repeats of a ubiquitous T-helper epitope are highly immunogenic
S. M. Drouin, J. A. Carlino and S. R. Barnum	1025	Transforming growth factor- β 2-mediated regulation of C3 gene expression in monocytes
M. Alaibac and A. C. Chu	1035	High incidence of a T nucleotide at the second position of codon 97 in V δ 2-(D)-J δ 1 junctional sequences of human normal skin $\gamma\delta$ T-cells
H. Breiteneder, R. Friedl-Hajek, C. Ebner, S. Schenk, G. Fischer, D. Kraft and O. Scheiner	1039	Sequence comparisons of the CDR3 hyper-variable loops of human T cell receptors specific for three major T cell epitopes of the birch pollen allergen Bet v 1
C. De Lalla, E. Tamborini, R. Longhi, E. Tresoldi, M. Manoni, A. G. Siccardi, P. Arosio and A. Sidoli	1049	Human recombinant antibody fragments specific for a rye-grass pollen allergen: characterization and potential applications
H. Kurioka, H. Kishi, H. Isshiki, H. Tagoh, K. Mori, T. Kitagawa, T. Nagata, K. Dohi and A. Muraguchi	1059	Isolation and characterization of a TATA-less promoter for the human RAG-1 gene
M. E. Mummert and E. W. Voss Jr	1067	Effects of secondary forces on the ligand binding properties and variable domain conformations of a monoclonal anti-fluorescyl antibody
P. Vanguri, S. Y. Cho and Chun-Min Chi	1079	Role of mUP-10 in interferon- γ induction of Ia in rat astrocytes
	1089	Erratum
	1091	Announcement
	1093	<i>Forthcoming papers</i>

NUMBER 14

- R. R. Speck, J. R. Couto, S. G. Godwin, R. B. Christian, R. Kiwan, R. L. Ceriani and J. A. Peterson** 1095 Inverted Fab2s (IFab2s): engineering and expression of novel, dimeric molecules, with a molecular weight of 100 000
- R. Sabat, M. Seifert, H.-D. Volk and R. W. Glaser** 1103 Neutralizing murine monoclonal anti-interleukin-10 antibodies enhance binding of antibodies against a different epitope
- J.-M. Chatel, H. Bernard, G. Clement, Y. Frobert, C. A. Batt, J. Gavalchin, G. Peltre and J.-M. Wal** 1113 Expression, purification and immunochemical characterization of recombinant bovine beta-lactoglobulin, a major cow milk allergen
- J. Marrugo, D. G. Marsh and B. Ghosh** 1119 The conserved lymphokine element-0 in the *IL5* promoter binds to a high mobility group-1 protein
- Quansheng Zhou, Ji Zhao, T. Hüsler and P. J. Sims** 1127 Expression of recombinant CD59 with an N-terminal peptide epitope facilitates analysis of residues contributing to its complement-inhibitory function
- C. G. Miller, D. N. Cook and G. J. Kotwal** 1135 Two chemotactic factors, C5a and MIP-1 α , dramatically alter the mortality from zymosan-induced multiple organ dysfunction syndrome (MODS): C5a contributes to MODS while MIP-1 α has a protective role
- S. Reid and E. C. Snow** 1139 The regulated expression of cell cycle-related proteins as B-lymphocytes enter and progress through the G₁ cell cycle stage following delivery of complete versus partial activation stimuli
- 1153 Announcement
- 1155 *Forthcoming papers*

NUMBER 15

- N. Yamamoto** 1157 Structural definition of a potent macrophage activating factor derived from vitamin D₃-binding protein with adjuvant activity for antibody production
- S. A. Chang, V. G. Lacaille, D. S. Guttoh and M. J. Androlewicz** 1165 Binding and transport of melanoma-specific antigenic peptides by the transporter associated with antigen processing
- M. Wagatsuma, M. Kimura, R. Suzuki, F. Takeuchi, K. Matsuta and H. Watanabe** 1171 Ezrin, radixin and moesin are possible auto-immune antigens in rheumatoid arthritis
- J. D. Hayball, C. M. Jones, J. R. Lamb and R. A. Lake** 1177 A T cell clone with three potential TCR α chain rearrangements expresses only one receptor combination at the cell surface
- A. H. McDonald, L. G. Byrd, C. R. Mainhart, J. Sopher and S. J. Smith-Gill** 1183 Plasmacytoma-refractory BALB/cAnPt mice have naive T cell and highly specific B cell responses to antigen

- B. S. Wang, A. L. Lumanglas,
C. A. Bona and T. M. Moran** 1197 Functional characterization of monoclonal antibodies specific to growth hormone receptor
- M. L. Yarmush, D. B. Patankar and
D. M. Yarmush** 1203 An analysis of transport resistances in the operation of BIAcore™; implications for kinetic studies of bio-specific interactions
- 1215 *Forthcoming papers*

NUMBER 16

- C. E. Miller, A. Karpas, R. Schneerson,
K. Huppi, P. Kováč, V. Pozsgay and
C. P. J. Glaudemans** 1217 Of four murine, anti-*Shigella dysenteriae* type 1 O-polysaccharide antibodies, three employ V-genes that differ extensively from those of the fourth
- C. D. Partidos, A. Delmas and
M. W. Steward** 1223 Structural requirements for synthetic immunogens to induce measles virus specific CTL responses
- G. Vasmatazis, C. Zhang,
J. L. Cornette and C. DeLisi** 1231 Computational determination of side chain specificity for pockets in class I MHC molecules
- F. Kishi, T. Yoshida and S. Aiso** 1241 Location of NRAMP1 molecule on the plasma membrane and its association with microtubules
- T. Koizumi, J. Wang, Y. Suzuki,
K. Masuda and T. Watanabe** 1247 Regulation of *bcl-x_L* expression and Fas susceptibility in mouse B cells by CD40 ligation, surface IgM cross-linking and IL-4
- M. Irigoyen, C. Kowal,
A. C. M. Young, J. C. Sacchettini
and B. Diamond** 1255 Molecular mapping of the 8.12 SLE-associated idio-type specificity at the single amino acid level
- J. E. Dowd, R. W. Karr and
D. R. Karp** 1267 Functional activity of staphylococcal enterotoxin A requires interactions with both the alpha and beta chains of HLA-DR
- 1275 *Forthcoming papers*

NUMBER 17/18

- I. Leduc and M. Cogne** 1277 Regulatory elements of the *mb-1* gene encoding the Ig- α component of the human B-cell antigen receptor
- M. L. González Romano,
M. T. Gallego and L. Berrens** 1287 Extraordinary stability of IgE-binding *Parietaria* pollen allergens in relation to chemically bound flavonoids
- C. S. Letson, K. M. Kaufman and
J. M. Sodetz** 1295 *In vitro* expression of the beta subunit of human complement component C8
- J. L. Atwell, L. A. Pearce, M. Lah,
L. C. Gruen, A. A. Kortt and
P. J. Hudson** 1301 Design and expression of a stable bispecific scFv dimer with affinity for both glycoporphin and N9 neuraminidase
- Hua Tang Chen, C. B. Alexander,
Fei Fei Chen and R. G. Mage** 1313 Rabbit DQ52 and D_H gene expression in early B-cell development

- | | | |
|---|-------------|---|
| L. J. Sigal and D. E. Wylie | 1323 | Role of non-anchor residues of D^b-restricted peptides in class I binding and TCR triggering |
| S. Fujieda, A. Saxon and Ke Zhang | 1335 | Direct evidence that $\gamma 1$ and $\gamma 3$ switching in human B cells is interleukin-10 dependent |
| P. Martineau, C. Lecierc and M. Hofnung | 1345 | Modulating the immunological properties of a linear B-cell epitope by insertion into permissive sites of the MalE protein |
| A. Bot, A. Nangpal, L. Pricop, B. Bogen, A. Kaushik and C. A. Bona | 1359 | V_h-light chain genes reconstitute immune responses to defined carbohydrate antigens or haptens by utilizing different V_H genes |
| G. V. Pinchuk, C. M. Alexander, A. M. Glas, R. J. Armitage and E. C. B. Milner | 1369 | V_H repertoire in human B lymphocytes stimulated by CD40 ligand and IL-4: evidence for positive and negative selection mechanisms coupled to CD40 activation |
| J. W. Reim, D. E. Symer, D. C. Watson, R. Z. Dintzis and H. M. Dintzis | 1377 | Low molecular weight antigen arrays delete high affinity memory B cells without affecting specific T-cell help |
| T. C. Thomas, S. A. Rollins, R. P. Rother, M. A. Giannoni, S. L. Hartman, E. A. Elliott, S. H. Nye, L. A. Matis, S. P. Squinto and M. J. Evans | 1389 | Inhibition of complement activity by humanized anti-C5 antibody and single-chain Fv |

1403 *Forthcoming papers*

I *Volume Contents, Author and Subject Index*



